

Certificate of Approval

This certificate confirms that the company below complies with the following standard(s):

Company Name	Zhejiang Ruihua Machinery Co., Ltd	WaterMark CofC number:	GM-WM-040189-I01-R00
Company Other Name		Type of Certification	Watermark Level 1
Client ID	102557	Certification Standard	AS 2419.2-2009 : Fire hydrant installations - Fire hydrant valves
Scheme	WaterMark Certification Scheme Level 1		

CERTIFICATE DATES:

Original / Initial	10/04/2017	Last Certificate update	10/04/2017
Certification / Re Certification	30/11/2016	Expiry	30/11/2021
Last Certification Decision	10/04/2017		

APPROVED COMPANY/SITE ADDRESS(ES):

Western Industrial Zone, Lingshan Town Yuyao 315460 Zhejiang China

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Approval remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Model(s) on which the WaterMark logo may be applied by the certificate holder as a declaration of compliance by the certificate holder. In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. In issuing this Certificate, Global-Mark has relied on the expertise of external bodies (laboratories, and technical experts).

Model Identification	Model Name	Brand Name	Product Description/Attributes	Product Category	Date Endorsed
ISP-HVBIBSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 65mm BI, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVBIRG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 65mm BI, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVCFABSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 65mm CFA, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVCFARG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 65mm CFA, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVCFA45BSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 45o angle 65mm CFA, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVCFA45RG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 45o angle 65mm CFA, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVFBTSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 65mm FBT(MFB), Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVFBTRG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 65mm FBT(MFB), Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVFBT45BSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 45o angle 65mm FBT(MFB), Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVFBT45RG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 45o angle 65mm FBT(MFB), Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVNSWBSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 65mm NSW, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVNSWRG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 65mm NSW Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVNSW45BSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 45o angle 65mm NSW, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVNSW45RG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 45o angle 65mm NSW, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVBSPBSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 65mm BSP, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017



Certification Manager

Hevi Ndha

Model Identification	Model Name	Brand Name	Product Description/Attributes	Product Category	Date Endorsed
ISP-HVBSPRG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 65mm BSP, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVBSP45BSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 45o angle 65mm BSP, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVBSP45RG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm shouldered, Outlet: 45o angle 65mm BSP, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVQRTBSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 65mm QRT, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVQRTRG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 65mm QRT Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVQRT45BSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 45o angle 65mm QRT, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVQRT45RG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 45o angle 65mm QRT, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVSARTBSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 65mm SART, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVSARTRG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 65mm SART Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVSAT45BSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 45o angle 65mm SART, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVSAT45RG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 45o angle 65mm SART, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVSTZBSP-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 65mm BSP male, Outlet: 65mm forged Stroz, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017
ISP-HVSTZRG-SS	Hydrant Valve	ISupply	Hydrant Valve , DN65, Pressure Loss @ 10L/sec:25 kPa, Inlet: 80mm roll grooved, Outlet: 65mm forged Stroz, Stainless Steel	Control Valves and Taps: Fire hydrant	12/03/2017

Comments:

End of the document



Certification Manager

Henri Ndha